

# Rock drill PFF5



- **POWERFUL**
- **RELIABLE**
- **HANDY**

**The rock drill star of its category**

<b>TECHNICAL DATA</b>	
<b>Weight (kg)</b>	5
<b>Length (mm)</b>	385
<b>Shank size (mm)</b>	H19X50
<b>Nominal pressure (bar)</b>	5.5
<b>Bore (mm)</b>	38.0
<b>Piston stroke (mm)</b>	36.0
<b>Rotation speed (T/min)</b>	300
<b>Blows/min (l/min)</b>	2800
<b>Air consumption (l/min)</b>	480
<b>Ø hose (mm)</b>	13
<b>Level of vibration (m/s<sup>2</sup>): Norm ISO 28927-10 standard. New method of measurement</b>	17.2

<b>Recommended for:</b>	
<b><u>Drill diameter</u></b>	
Maximal use Ø mm	10 – 66 (with Ø 66 maxi length 300 mm)
Ideal use	10 – 50


## TOOLS

TOOLS	Length	Width	Code
<b>Tool holder</b>	120		2120
<b>Small masonry drilling rod</b>	080	8	2125
	100	10	2121
	105	12	2122
	200	15	2123
	100		2130
<b>Drill extension rod for mini cone</b>	200		2131
	300		2132
<b>Carbide drill bits mini cone</b>		13	2135
		16	2136
		20	2137
<b>Steel drive rod small cone</b>	200		2145
	350		2141
	650		2142
	1050		2312
<b>Carbide drill bits small cone</b>		22	2150
		24	2315
		26	2151
		30	2152
<b>Hose D13 mm</b>	500		15053

TOOLS	Length	Width	Code
<b>Steel drive rod large cone</b>	200		2146
	350		2143
	650		2144
	850		2311
	1050		2313
<b>Carbide drill bits for big cone</b>		32	2316
		34	G0007592
		36	2153
		40	2154
		45	2155
		50	2156
		60	2157
	66	2158	
<b>Steel integral drilling rod</b>	350	16	2508
	350	18	2501
	350	22	2502
	350	24	2503
	650	24	2504
	350	28	2505
	350	30	2506
	650	30	2507


### TOOL HOLDER & SMALL MASONRY DRILLING ROD

PORTE OUTIL ET TAMPONNOIR



### TOOL HOLDER, STEEL DRILL & CARBIDE DRILL BITS FOR MINI CONE

PORTE OUTIL, PORTE TAILLANT ET TAILLANT MINI CONE



### STEEL DRIVE ROD AND CARBIDE DRILL BITS

PORTE TAILLANT ET TAILLANT



### STEEL INTEGRAL DRILLING ROD



### HOSE

